


CZ 600+ SERIES



CZfirearms



@CZguns



CZfirearmsOfficial

| czfirearms.com



A man with a beard, wearing a camouflage baseball cap and a plaid shirt, is holding a CZ 600+ rifle. He is looking off to the side with a focused expression. The background is a rustic wooden structure. The image is partially covered by a large orange diagonal shape on the right side.

**THE CZ 600+
SERIES FEATURES
A NUMBER OF
UNIQUE, PATENTED
FEATURES**

**AS PART OF THE CONTINUOUS
DEVELOPMENT OF ITS BOLT-ACTION
RIFLE RANGE, CZ IS PROUD
TO INTRODUCE THE ALL-NEW
CZ 600+ SERIES.**

Its highly modular design features patented innovations, enhancing reliability, rugged durability, ergonomic comfort, shooting ease, safety, and precision accuracy. Perfectly suited for the demands of hunters and shooters. Use of the most advanced materials and technologies also plays a significant role in its advanced construction. The range includes models for hunting, sport shooting, and hobby shooting, with a choice between a wide variety of popular calibers.

MAIN FEATURES OF THE CZ 600+ SERIES



UNIQUE SAFETY

A patented, easy-to-access vertical safety at the top of the grip is released by pressing down and allows for completely silent operation.



PATENTED TRIGGER MECHANISM

A newly developed, user adjustable single- or double-stage trigger mechanism with four levels of pull weight that can be adjusted without removing the receiver from the stock.



INTERCHANGEABLE BARREL

Without a doubt, the most significant change is the innovative barrel mounting system in the CZ 600+ receiver, allowing users to safely and easily change barrels themselves. This is ideal for shooters who prefer multiple calibers—one for hunting, another for target shooting.



CONTROLLED FEEDING WITH SHORT EJECTOR

The patented, simple, and reliable feeding system of the CZ 600+ series guarantees full control of cartridge feeding and smooth bolt operation in all weapon positions, even in the most demanding situations.



EXTREME ACCURACY

The ALPHA, ERGO, **AMERICAN** and LUX models are guaranteed to shoot sub-MOA at 100 m for 3 shot groups, and the RANGE and **MDT** models shoots sub-0.75 MOA for 5 shot groups. The compact TRAIL version is guaranteed to shoot 2 MOA. All models are tested using match-grade factory ammunition.



SUPERIOR QUALITY BARREL

High-precision barrels with caliber-optimized lengths are cold hammer forged using CZ technology. The barrel features a threaded muzzle for mounting accessories.



SHORT 60 DEGREE BOLT THROW

Due to the use of a locking system, the bolt handle rotates 60° for quick and comfortable reloading without the risk of hitting the riflescope.



EXTENDED WEAVER RAIL

On select CZ 600+ models, the Weaver rail on the receiver has been lengthened, simplifying optics mounting. The longer rail provides increased flexibility for positioning scopes and other optics.



SIMPLIFIED MAGAZINE INSERTION

The magazine insertion has been simplified. The magazine is now inserted directly in a single motion, making reloading quick, easy, and reliable in any situation.



SAFE DISASSEMBLY

A spring-loaded button on the right side of the receiver allows for easy removal of the bolt without manipulating the trigger.



STANDARDIZED MOUNTING INTERFACE

CZ 600+ series receivers are equipped with an integrated Weaver rail (aluminum) or Remington 700 type mounting interface (steel).



EXTREMELY DURABLE FINISH

The surface of metal components in the CZ 600+ series comes with CZ's new BobOx chemical heat treatment, which gives it a hard, durable finish that resists corrosion.



HIGHLY DURABLE RECEIVER

All CZ 600+ series receivers are manufactured from durable aluminum or steel and come with a guaranteed service life of 20,000 shots.

CZ 600+
AMERICAN
Main features



EXCEPTIONAL SHOOTING COMFORT



LIGHT PROFILE COLD HAMMER FORGED BARREL



SINGLE STAGE 4 POSITION ADJUSTABLE TRIGGER



ADVANCED S.E.A. SAFETY



LOCKABLE MAGAZINE



STEEL RECEIVER WITH REMINGTON 700
MOUNTING INTERFACE



SLING SWIVEL STUDS

CZ 600+ AMERICAN



A MODERN, AMERICAN-STYLE CENTERFIRE HUNTING RIFLE

The CZ 600+ AMERICAN is a classic American-style bolt-action rifle that features a beautifully crafted Turkish walnut stock with a lily motif on the grip. Thanks to its straight comb design, the stock allows for comfortable shooting with a riflescope. The steel receiver features a Remington 700-style attachment interface, ensuring compatibility with wide variety of scope rings.

Available in a wide range of calibers, from 223 Rem. to 300 Win. Mag., it is ready to meet the needs of a wide range of hunters and sport shooters.



MODEL	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH (in/mm)	BARREL PROFILE	SIGHTS	THREAD	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)	RECEIVER SIZE
CZ 600+ AMERICAN 223 Rem.	1 : 9 / 6	5	3,20	1102	24/610	Light	No	M15x1	Walnut	Varnish	No	355	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	I (mini)
CZ 600+ AMERICAN 7,62×39	1 : 9,5 / 4	5	2,80	949	18/457	Light	No	M15x1	Walnut	Varnish	No	355	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	I (mini)
CZ 600+ AMERICAN 270 Win.	1 : 10 / 4	5	3,70	1140	24/610	Light	No	M15x1	Walnut	Varnish	No	355	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	III (long)
CZ 600+ AMERICAN 30-06 Spring.	1 : 10 / 4	5	3,70	1140	24/610	Light	No	M15x1	Walnut	Varnish	No	355	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	III (long)
CZ 600+ AMERICAN 300 Win. Mag.	1 : 10 / 4	3	3,70	1140	24/610	Light	No	M15x1	Walnut	Varnish	No	355	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	III (long)
CZ 600+ AMERICAN 243 Win.	1 : 10 / 6	5	3,50	1025	20/508	Light	No	M15x1	Walnut	Varnish	No	355	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	II (medium)
CZ 600+ AMERICAN 308 Win.	1 : 10 / 4	5	3,50	1025	20/508	Light	No	M15x1	Walnut	Varnish	No	355	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	II (medium)
CZ 600+ AMERICAN 6,5 Creedmoor	1 : 8 / 6	5	3,70	1127	24/610	Light	No	M15x1	Walnut	Varnish	No	355	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	II (medium)

CZ 600+
LUX
Main features



LIGHT PROFILE COLD HAMMER FORGED BARREL



SINGLE STAGE 4 POSITION ADJUSTABLE TRIGGER



REMOVABLE, FULLY ADJUSTABLE IRON
SIGHTS WITH FIBER OPTICS



STEEL RECEIVER WITH REMINGTON 700
MOUNTING INTERFACE



ADVANCED S.E.A. SAFETY



LOCKABLE MAGAZINE



LUX-STYLE WALNUT STOCK WITH CHEEKPIECE

CZ 600+ LUX



A MODERN CENTERFIRE RIFLE WITH A TRADITIONAL EUROPEAN DESIGN

The CZ 600+ LUX is tailored for shooters who value the elegance of classic European hunting rifles.

Its premium Turkish walnut stock with cheek piece and extensive checkering is complemented by a wooden bolt knob and decorative forend, effectively combining the traditional European hunting rifle with a modern design and advanced technology.

Available in popular calibers from 223 Rem. to 300 Win. Mag., the durable steel receiver ensures versatility.



MODEL	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH (in/mm)	BARREL PROFILE	SIGHTS	THREAD	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)	RECEIVER SIZE
CZ 600+ LUX 223 Rem.	1: 9 / 6	5	3,17	997	20/508	Light	Yes	M15 × 1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	I (mini)
CZ 600+ LUX 223 Rem.	1: 9 / 6	5	3,40	1099	20/508	Light	Yes	M15 × 1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	I (mini)
CZ 600+ LUX 7,62×39	1: 9,5 / 4	5	3,00	946	18/457	Light	Yes	M15 × 1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	I (mini)
CZ 600+ LUX 308 Win.	1: 10 / 4	5	3,79	1040	20/508	Light	Yes	M15 × 1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	II (medium)
CZ 600+ LUX 30-06 Spring.	1: 10 / 4	5	3,73	1053	20/508	Light	Yes	M15 × 1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	III (long)
CZ 600+ LUX 8×57 IS	1: 9,5 / 4	5	3,62	1053	20/508	Light	Yes	M15 × 1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	III (long)
CZ 600+ LUX 300 Win. Mag.	1: 10 / 4	3	3,87	1155	24/610	Light	Yes	M15 × 1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	III (long)

CZ 600+
ALPHA
Main features



EXTREMELY DURABLE FINISH



SINGLE STAGE 4 POSITION ADJUSTABLE TRIGGER



ADVANCED S.E.A. SAFETY



DURABLE RECEIVER WITH STANDARDIZED INTERFACE



SUB-MOA AT 100 M FOR THREE SHOT GROUPS



LOCKABLE MAGAZINE



SLING SWIVEL STUDS

CZ 600+ ALPHA



DURABLE RIFLE FOR EVERYDAY USE

Designed to perform in all weather conditions, the CZ 600+ ALPHA combines durability, precision, and reliability. It is available in a wide range of popular calibers, each offering exceptional accuracy and rugged dependability.

Its polymer stock with soft-touch finish ensures a firm grip in all conditions.

A semi-heavy, cold hammer forged barrel, combined with a light alloy receiver and extended Weaver rail, allows for complete versatility.



MODEL	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH (in/mm)	BARREL PROFILE	SIGHTS	THREAD	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)	RECEIVER SIZE
CZ 600+ ALPHA 223 Rem.	1:7 / 6	5	2,99	1096	24/610	Semi-Heavy	No	M15x1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6.5/ 9/11.5/14	I (mini)
CZ 600+ ALPHA 7,62×39	1:9,5 / 4	5	2,53	943	18/457	Semi-Heavy	No	M15x1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6.5/ 9/11.5/14	I (mini)
CZ 600+ ALPHA 243 Win.	1:10 / 6	5	3,40	1020	20/508	Semi-Heavy	No	M15x1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6.5/ 9/11.5/14	II (medium)
CZ 600+ ALPHA 308 Win.	1:10 / 4	5	3,22	1020	20/508	Semi-Heavy	No	M15x1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6.5/ 9/11.5/14	II (medium)
CZ 600+ ALPHA 6,5 Creedmoor	1:7 / 6	5	3,45	1071	22/559	Semi-Heavy	No	M15x1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6.5/ 9/11.5/14	II (medium)
CZ 600+ ALPHA 6 mm Creedmoor	1:7 / 6	5	3,52	1071	22/559	Semi-Heavy	No	M15x1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6.5/ 9/11.5/14	II (medium)
CZ 600+ ALPHA 6,5 PRC	1:7 / 6	3	3,42	1071	24/610	Semi-Heavy	No	M15x1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6.5/ 9/11.5/14	II (medium)
CZ 600+ ALPHA 270 Win.	1:10 / 4	5	3,50	1033	20/508	Semi-Heavy	No	M15x1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6.5/ 9/11.5/14	III (long)
CZ 600+ ALPHA 30-06 Spring.	1:10 / 4	5	3,30	1033	20/508	Semi-Heavy	No	M15x1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6.5/ 9/11.5/14	III (long)
CZ 600+ ALPHA 8×57 IS	1:9,5 / 4	5	3,29	1033	20/508	Semi-Heavy	No	M15x1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6.5/ 9/11.5/14	III (long)
CZ 600+ ALPHA 300 Win. Mag.	1:10 / 4	3	3,52	1135	24/610	Semi-Heavy	No	M15x1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6.5/ 9/11.5/14	III (long)

CZ 600+
RANGE
Main features



LAMINATED WOOD STOCK WITH ADJUSTABLE COMB



HEAVY COLD HAMMER FORGED BARREL



SINGLE STAGE 4 POSITION ADJUSTABLE TRIGGER



ADVANCED S.E.A. SAFETY



STEEL RECEIVER WITH REMINGTON 700
MOUNTING INTERFACE



LOCKABLE MAGAZINE



SOCKETS FOR QD SWIVELS

CZ 600+ RANGE



EXTREMELY ACCURATE CENTERFIRE RIFLE FOR TARGET SHOOTING

The CZ 600+ RANGE provides the uncompromising accuracy, durability, and shooting comfort of a finely tuned sport rifle, along with a highly attractive laminated wood stock.

Its cold hammer forged and highly accurate target barrel ensures every shot hits exactly where you aim. A guaranteed sub-0.75 MOA at 100 yards (five-shot groups with match-grade factory ammunition) is just one of the standard features of this rifle.

Adjustment of the stock is essential for target shooting, which is why the CZ 600+ RANGE stock features a tool-free adjustable comb, which you can adjust anytime, anywhere.



MODEL	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH (in/mm)	BARREL PROFILE	SIGHTS	THREAD	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)	RECEIVER SIZE
CZ 600+ RANGE 223 Rem.	1 : 9 / 6	5	4,40	1106	24/610	Heavy	No	M15x1	Laminated Wood	Varnish	Adjustable	365	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	I (mini)
CZ 600+ RANGE 308 Win.	1 : 10 / 4	5	4,61	1140	24/610	Heavy	No	M18x1	Laminated Wood	Varnish	Adjustable	370	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	II (medium)
CZ 600+ RANGE 6 mm Creedmoor	1 : 7 / 6	5	4,70	1140	24/610	Heavy	No	M18x1	Laminated Wood	Varnish	Adjustable	370	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	II (medium)
CZ 600+ RANGE 6,5 Creedmoor	1 : 8 / 6	5	4,70	1140	24/610	Heavy	No	M18x1	Laminated Wood	Varnish	Adjustable	370	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	II (medium)

CZ 600+
ERGO
Main features



SHORT 60 DEGREE BOLT THROW



LIGHT PROFILE COLD HAMMER FORGED BARREL



SINGLE STAGE 4 POSITION ADJUSTABLE TRIGGER



ADVANCED S.E.A. SAFETY



LOCKABLE MAGAZINE



STEEL RECEIVER WITH REMINGTON 700
MOUNTING INTERFACE



SLING SWIVEL ATTACHMENT POINT

CZ 600+ ERGO



CENTERFIRE RIFLE WITH ERGONOMIC THUMBHOLE STOCK

This premium lightweight model with a light barrel is equipped with a specially developed fiber-reinforced polymer stock, which offers maximum shooting comfort and contributes to high accuracy thanks to its sophisticated ergonomics.

Durable, aluminum alloy Weaver rails allow for trouble-free mounting of optics on top of the receiver. After activating the magazine lock, the firearm converts to fixed magazine operation. A simple modification to the safety mechanism, which would allow for a decocking version, is currently in development.

The CZ 600+ ERGO has guaranteed, factory-tested sub-MOA at 100 m (three-shot groups using match-grade factory ammunition).



MODEL	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH (in/mm)	BARREL PROFILE	SIGHTS	THREAD	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)	RECEIVER SIZE
CZ 600 ERGO 223 Rem.	1: 9 / 6	5	2,59	1013	20/508	Light	No	M15 × 1	Fiber-reinforced polymer	Soft-touch	No	370	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	I (mini)
CZ 600 ERGO 7,62 × 39	1: 9,5 / 4	5	2,40	962	18/457	Light	No	M15 × 1	Fiber-reinforced polymer	Soft-touch	No	370	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	I (mini)
CZ 600 ERGO 308 Win.	1: 10 / 4	5	2,87	1038	20/508	Light	No	M15 × 1	Fiber-reinforced polymer	Soft-touch	No	370	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	II (medium)
CZ 600 ERGO 6,5 Creedmoor	1: 7 / 4	5	3,01	1089	22/559	Light	No	M15 × 1	Fiber-reinforced polymer	Soft-touch	No	370	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	II (medium)
CZ 600 ERGO 30-06 Spring.	1: 10 / 4	5	2,91	1052	20/508	Light	No	M15 × 1	Fiber-reinforced polymer	Soft-touch	No	370	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	III (long)
CZ 600 ERGO 8 × 57 IS	1: 9,5 / 4	5	2,90	1052	20/508	Light	No	M15 × 1	Fiber-reinforced polymer	Soft-touch	No	370	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	III (long)
CZ 600 ERGO 300 Win. Mag.	1: 10 / 4	3	3,08	1154	24/610	Light	No	M15 × 1	Fiber-reinforced polymer	Soft-touch	No	370	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	III (long)

CZ 600+
ERGO DRIVEN
HUNT
Main features



SHORT 60 DEGREE BOLT THROW



EQUIPPED WITH RADIAL COMPENSATOR



SINGLE STAGE 4 POSITION ADJUSTABLE TRIGGER



ADVANCED S.E.A. SAFETY



STEEL RECEIVER WITH REMINGTON 700
MOUNTING INTERFACE



LOCKABLE MAGAZINE



SLING SWIVELS INCLUDED

CZ 600+ ERGO DRIVEN HUNT



LIGHT AND FAST RIFLE WITH EXTENDED CAPACITY

The CZ 600+ ERGO DRIVEN HUNT was specifically designed for fast-paced driven hunts at shorter distances, where speed, reliability and visibility are essential.

Its ergonomically shaped polymer stock features distinctive orange inlays that enhance safety and visibility in group hunting scenarios. A lightweight fluted bolt with a bent handle and honey dipper bolt knob ensures fast and intuitive operation, while the 10-round magazine provides increased capacity for intensive hunting situations.

The rifle's cold hammer forged barrel is fitted with a radial compensator that helps reduce recoil and muzzle rise, allowing for quicker follow-up shots. Combined with its overall lightweight design, the CZ 600+ ERGO DRIVEN HUNT offers hunters a highly responsive and accurate rifle perfectly suited for dynamic driven hunts.



MODEL	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH (in/mm)	BARREL PROFILE	SIGHTS	THREAD	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)	RECEIVER SIZE
CZ 600+ ERGO DRIVEN HUNT 308 Win.	1:10 / 4	10	2,9	1038	20/508	Light	No	M15 x 1	Polymer	Soft-touch	No	370	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	11 (medium)


CZ 600+
TRAIL
Main features



DURALUMIN RECEIVER AND FOREND WITH
PICATINNY RAIL AND M-LOK INTERFACE




4 POSITION TELESCOPIC STOCK



DOUBLE-STAGE 4 POSITION ADJUSTABLE TRIGGER



COMPATIBILITY WITH AR-15 PISTOL GRIP



COMPATIBILITY WITH AR-15 OR CZ BREN 2 MAGAZINES



CZ BREN 2 INSPIRED SAFETY
AND MAGAZINE RELEASE

CZ 600+
TRAIL



COMPACT SPORTING RIFLE

Compact, rugged, and ready for anything, the CZ 600+ TRAIL is designed for shooters focused on preparedness and versatility.

The CZ 600+ TRAIL builds on the strengths of its predecessor with a lightweight yet robust aluminum chassis and a retractable polymer stock, making it exceptionally easy to store and transport. Offered in three popular calibers, it delivers unmatched reliability, accuracy, and toughness in a compact, appealing design.

An easy-to-adjust two-stage trigger pairs with an ambidextrous safety and magazine release. The 223 Rem. and 300 AAC Blackout models accept widely available STANAG magazines.



MODEL	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH (in/mm)	BARREL PROFILE	SIGHTS	THREAD	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)	RECEIVER SIZE
CZ 600+ TRAIL 223 Rem.	1:7 / 6	10	2,78	690-890	16	Semi-Heavy	No	M15x1	Fiber-reinforced polymer	–	Yes	143-347	Double-Stage, Adjustable	9/11/14/16.5	I (mini)
CZ 600+ TRAIL 7,62 × 39	1:9,5 / 4	10	2,83	690-890	16	Semi-Heavy	No	M15x1	Fiber-reinforced polymer	–	Yes	143-347	Double-Stage, Adjustable	9/11/14/16.5	I (mini)
CZ 600+ TRAIL 300 BLK	1:7 / 4	10	2,80	690-890	16	Semi-Heavy	No	M15x1	Fiber-reinforced polymer	–	Yes	143-347	Double-Stage, Adjustable	9/11/14/16.5	I (mini)

CZ 600+ MDT GREY

Main features



ADJUSTABLE MDT STOCK



AMBIDEXTROUS SAFETY ALSO SERVES AS A THUMB REST



4 POSITION ADJUSTABLE TRIGGER



MDT AICS MAGAZINES
WITH 10 ROUNDS CAPACITY



MACHINED ALL STEEL RECEIVER
WITH INTEGRATED PICATINNY RAIL



0,75 MOA GUARANTEE (5-SHOT GROUPS
AT 100M WITH MATCH GRADE AMMUNITION)



SOCKETS FOR QD SWIVELS

CZ 600+ MDT GREY



BUILT TO DOMINATE THE PRS PRODUCTION DIVISION

The CZ 600+ MDT GREY is a perfect choice for all PRS shooters. It features a durable, highly adjustable stock from the renowned Canadian manufacturer MDT, allowing easy adjustments of comb height and stock length. The front section includes multiple M-LOK slots, QD sockets for sling attachment, and a full-length Picatinny rail for optics. Additionally, it includes an ARCA SWISS mounting interface.

The rifle's grip is interchangeable with other AR-15 compatible grips, enabling further customization.

MODEL	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH (in/mm)	BARREL PROFILE	SIGHTS	THREAD	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)	RECEIVER SIZE
CZ 600+ MDT GREY 6 mm Creedmoor	1:10 / 4	10	5,30	1100-1125	24/610	Heavy	No	M18x1	Duralumin	Cerakote	Yes	330-355	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	II (medium)
CZ 600+ MDT GREY 308 Win.	1:7 / 6	10	5,30	1100-1125	24/610	Heavy	No	M18x1	Duralumin	Cerakote	Yes	330-355	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	II (medium)
CZ 600+ MDT GREY 6,5 Creedmoor	1:8 / 6	10	5,30	1100-1125	24/610	Heavy	No	M18x1	Duralumin	Cerakote	Yes	330-355	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	II (medium)


CZ 600+ MDT
**DEEP
BRONZE**
Main features



FULLY ADJUSTABLE MDT STOCK



AMBIDEXTROUS EXTENDED SAFETY ALSO SERVES
AS A THUMB REST



4 POSITION ADJUSTABLE TRIGGER



MDT AICS MAGAZINES
WITH 10 ROUNDS CAPACITY



MACHINED ALL STEEL RECEIVER
WITH INTEGRATED PICATINNY RAIL



0,75 MOA GUARANTEE (5-SHOT GROUPS
AT 100M WITH MATCH GRADE AMMUNITION)



SOCKETS FOR QD SWIVELS

CZ 600+ MDT DEEP BRONZE



BUILT TO DOMINATE THE PRS PRODUCTION DIVISION

Designed in collaboration with competitive shooters from the CZ Shooting Team and Kahles Team, this rifle builds on the proven CZ 600+ platform and boasts an adjustable stock from Canada's renowned MDT. The grip, comb, and butt pad offer extensive adjustments, allowing you to customize your rifle precisely to your shooting style and maximize your comfort, bringing you closer to victory.

Its modularity is further enhanced by M-LOK, QD, and ARCA SWISS mounting interfaces, along with an extended Picatinny rail on the steel receiver.



MODEL	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH (in/mm)	BARREL PROFILE	SIGHTS	THREAD	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)	RECEIVER SIZE
CZ 600+ MDT DEEP BRONZE 6 mm Creedmoor	1:10 / 4	10	5,60	1140-1170	24/610	Heavy	No	M18x1	Duralumin	Cerakote	Yes	320-350	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	II (medium)
CZ 600+ MDT DEEP BRONZE 308 Win.	1:7 / 6	10	5,60	1140-1170	24/610	Heavy	No	M18x1	Duralumin	Cerakote	Yes	320-350	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	II (medium)
CZ 600+ MDT DEEP BRONZE 6,5 Creedmoor	1:8 / 6	10	5,60	1140-1170	24/610	Heavy	No	M18x1	Duralumin	Cerakote	Yes	320-350	Single-Stage, Adjustable	6.5/ 9/ 11.5/ 14	II (medium)